

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

REQUEST FOR WITHDRAWAL AS ATTORNEY OR AGENT AND CHANGE OF CORRESPONDENCE ADDRESS

Application Number	10/802,322
Filing Date	March 16, 2004
First Named Inventor	Billy H. Brenton
Art Unit	3724
Examiner Name	Phong H Nguyen
Attorney Docket Number	BRER01US01

**To: Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450**

Please withdraw me as attorney or agent for the above identified patent application, and

- ☐ all the attorneys/agents of record.
- ☐ the attorneys/agents (with registration numbers) listed on the attached paper(s), or
- ☒ the attorneys/agents associated with Customer Number

NOTE: This box can only be checked when the power of attorney of record in the application is to all the practitioners associated with a customer number.


The reasons for this request are: Client requests no further action be taken by Cochran Freund & Young LLC. Please see attached letter from Murray A. Roth.

CORRESPONDENCE ADDRESS

1. ☐ The correspondence address is NOT affected by this withdrawal.
2. ☒ Change the correspondence address and direct all future correspondence to:

☐ The address associated with Customer Number:

OR

<input checked="" type="checkbox"/> Firm or Individual Name	Mr. Murray A. Roth				
Address	300 Covington Street				
City	Madisonville	State	LA	Zip	70447
Country	US				
Telephone	(985) 785-5829	Email	roth1943@msn.com		
Signature					
Name	Samuel M. Freund	Registration No.	30,459		
Date	July 23, 2007	Telephone No.	(970) 492-1100		

NOTE: Withdrawal is effective when approved rather than when received. Unless there are at least 30 days between approval of withdrawal and the expiration date of a time period for response or possible extension period, the request to withdraw is normally disapproved.

This collection of information is required by 37 CFR 1.36. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.11 and 1.14. This collection is estimated to take 12 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

FROM :

FAX NO. :
Murray A. Roth, Jr.

Jul. 18 2007 03:06PM P1
(504) 837-1030 p.1

BRENTON-ROTH ENTERPRISES, LLC

300 COVINGTON STREET
MADISONVILLE, LOUISIANA 70447

TELEPHONE: 985.792.0194
FACSIMILE: 985.792.0143

July 18, 2007

Via Facsimile

Mr. Samuel M. Freund, Esq.
Cochran, Freund & Young, LLC
2026 Caribou Drive, Suite 201
Fort Collins, Colorado 80525

Re: U.S. Nonprovisional Patent Application
Title: Interchangeable Ringlets for Pivoted Cutting and Grasping Instruments
Application No.: 10/802,322
Filed: March 16, 2004
Your File No.: BRER.01US01


Dear Sam:

As per our telephone conversation of yesterday, please let this confirm that your services and the services of your firm will no longer be needed as of this date in regards to the above referenced patent application. Therefore, you will not have to file any documents by the next deadline of July 20, 2007. As I explained, we have an attorney here in Louisiana that is a personal friend who will file the next appropriate documents by that date.

We appreciate your efforts in the matter, and wish you the best in the future.

With kind regards, I remain

Sincerely,



MURRAY A. ROTH
President, Brenton-Roth Enterprises, LLC